

DOWNLIGHT



GAÏA

IP 20	CRI 90+	PF ≥0.9	AC220 -240V	Dimmable
-----------------	-------------------	-------------------	------------------------------	-----------------

3 YEAR WARRANTY	CREE	TRIDONIC	CE	RoHS
------------------------------	-------------	-----------------	-----------	-------------

GAÏA DOWNLIGHT

Multi colors for bezels(black/white/golden) in unique curve design

High performance reflector with precise speckle, Three beam angles:15°/26°/38° meet different requirements.

Unique curve design makes a soft and gentle style .

Aluminum alloy fitting keeps its LED chip working with a low temperature and working for a long lifetime

Applications : Bars, Restaurants, Residential buildings

Housing : 6063 aluminum. with painting finishing

Heat sink : Die-cast aluminum



luxio
L I G H T I N G

www.luxio-lighting.com

References

Reference	Led Power	Luminous flux	CCT/K	OPTICS	IP Rating	Dimensions	Adjustable
LX-DL-7175A-LED	8W	650lm	2700K/3000K/4000K	15°/24°/36°	IP20	Ø110*84mm	25°
LX-DL-7295A-LED	12W	1060lm		15°/26°/38°		Ø110*84mm	
LX-DL-73115A-LED	20W	1500lm		Ø126*88mm			

Order code : Reference - Power - Luminous flux - CCT/K - Optic

Important : All the specification can be customized as per the project request .

OPTICS

LX-DL-7175A-LED




LX-DL-7295A-LED / LX-DL-73115A-LED




Dimensions

LX-DL-7175A-LED




UNIT: mm

LX-DL-7295A-LED



UNIT: mm

LX-DL-73115A-LED



UNIT: mm



RING IN DIFFERENT COLOR



Black+White



All white



Gold+White



Gold+Black

Features

