# TRACK LIGHT



### WOODY












#### WOODY TRACK LIGHT

Consists of woody . Both items have the elegant and attractive appearance of minimalistic design, same style as Luxio-lighting collections.

The outstanding performance of woody is, just in instant, a banal product can be transformed into appearance of different colors! Just replacing the front ring & cover piece freely, you will get various styles. The wide range of accessories combination, allows to get such as the gentlest black & white, the coolest black & grey...as well as the natural wood finishes of Nordic style, etc. Woody comes in two dimensions, 900lm~3800lm luminance range. Its professional designed reflector allows an accurate light beam, no dot, no color changing and natural, there are also a wealth of optical accessories for matching. Woody could provide you diverse options for lighting! Woody is applied with BRIDGELUX LED, meanwhile also available in LED of other brands, please consult our sales team if need.

MATERIAL:ALU DIE-CAST+PC





www.luxio-lighting.com

## **References**

Reference	Led Power	Luminous flux	ССТ/К	OPTICS	IP Rating	Dimensions	Adjustable
LX-DL-EM79-LED	1*9.2W	739-945lm	3000K	21°/32°/48°		(Ø60xH90mm)/ (94xH139*W102mm)	ROTATES:350°SPOT HEAD ADJUST: 90°
LX-DL-EM712-LED	1*12.2W	1356-1656lm		25°/35°/52°			
LX-DL-EE718-LED	1*17.6W	1987-2395lm		16°/32°/50°	- IP20 -	(Ø86xH125mm)/ (135xH188*W138mm)	
LX-DL-EE728-LED	1*28.4W	3162-3810lm		16 /32 /30			
LX-DL-EME79-LED	1*9.2W	739-945lm		21°/32°/48°		(Ø60xH90mm)/ (74xH151*W102mm)	
LX-DL-EME712-LED	1*12.2W	1356-1656lm		25°/35°/52°			
LX-DL-EE2718-LED	1*17.6W	1987-2395lm		16°/32°/50°		(Ø86xH125mm)/ (93xH197*W138mm)	
LX-DL-EE2728-LED	1*28.4W	3162-3810lm					

Order code : Reference - Power - Luminous flux - CCT/K - Optic

#### **OPTICS**

LX-DL-EM79-LED / LX-DL-EME79-LED



LX-DL-EM712-LED / LX-DL-EME712-LED



LX-DL-EE718-LED/ LX-DL-EE728-LED LX-DL-EE2718-LED/ LX-DL-EE2728-LED



## **Dimensions**





 $www.luxio\hbox{-lighting.com}$ 

# HOUSING IN DIFFERENT COLOR

