


DOWNLIGHT



CORN R



Optional



CORN R

Corn R is an innovative range of professional recessed lighting fixtures created to deliver a high lighting performance and suitable for most of the indoor applications. This series include the indoor recessed down light and track lights.

Integrated vertical light, adjustable tilt light, and wall washer with uniform light luminous effect.

Unique innovative design of die-casting heatsink, greatly increase heat dissipating efficiency.

Material : Aluminum Frame, reflector & heatsink

Applications : Hotels, Bars, Restaurants, Shopping centers and stores Showroom, Gallery, Office and administration buildings.



References

Reference	Led Power	Luminous flux	CCT/K	OPTICS	IP Rating	Dimensions	Adjustable	
LX-DL-11011	8W	701lm	2700K/3000K/4000K	15°/24°/38°/60°	IP20/IP40	101*123mm	—	
	12W	1026lm						
	15W	1129lm						
LX-DL-11361	15W	1064lm						
	20W	1636lm						
	25W	1907lm						
LX-DL-11611	30W	2104lm						
	25W	2056lm			15°/24°/38°	IP20	161*196mm	°30/350°
	30W	2310lm						
	36W	2899lm						
40W	3267lm							
LX-DL-11012	8W	722lm			15°/24°/38°/60°	IP20	101*117mm	°30/350°
	12W	997lm						
	15W	1105lm						
LX-DL-11362	15W	1056lm						
	20W	1617lm						
	25W	1869lm						
LX-DL-11612	30W	2109lm						
	25W	2047lm		15°/24°/38°		IP20	161*197mm	°30/350°
	30W	2306lm						
	36W	2889lm						
40W	3210lm							
LX-DL-11013	8W	596lm		70°		IP20/IP40	101*118mm	Yes
	12W	809lm						
	15W	900lm						
LX-DL-11363	15W	1038lm						
	20W	1597lm						
	25W	1855lm						
	30W	2087lm						
LX-DL-11613	25W	1984lm						
	30W	2197lm	161*194mm		IP20/IP40	Yes		
	36W	2762lm						
	40W	3119lm						

Order code : Reference - Power - Luminous flux - CCT/K - Optic

Important : All the specification can be customized as per the project request .

OPTICS

LX-DL-11611 / LX-DL-11612



15° 24° 38°

LX-DL-11011 / LX-DL-11361 / LX-DL-11012 / LX-DL-11362



15° 24° 38° 60°

LX-DL-11013
LX-DL-11363
LX-DL-11613



70°

Dimensions

