


DOWNLIGHT



CORN S



Optional



CORN S

Corn S is an innovative range of professional recessed lighting fixtures created to deliver a high lighting performance and suitable for most of the indoor applications. This series include the indoor recessed down light and track lights.

Integrated vertical light, adjustable tilt light, and wall washer with uniform light luminous effect.

Unique innovative design of die-casting heatsink, greatly increase heat dissipating efficiency.

Material : Aluminum Frame, reflector & heatsink

Applications : Hotels, Bars, Restaurants, Shopping centers and stores Showroom, Gallery, Office and administration buildings.



luxio
L I G H T I N G

www.luxio-lighting.com

References

Reference	Led Power	Luminous flux	CCT/K	OPTICS	IP Rating	Dimensions	Adjustable		
LX-DL-11014	8W	711lm	2700K/3000K/4000K	15°/24°/38°/60°	IP20/IP40	101*101*123mm	—		
	12W	984lm							
	15W	1107lm							
LX-DL-11364	15W	1064lm							
	20W	1634lm							
	25W	1892lm							
	30W	2139lm							
LX-DL-11614	25W	2090lm				15°/24°/38°		161*161*196mm	
	30W	2357lm							
	36W	2936lm							
	40W	3316lm							
LX-DL-11015	8W	721lm				15°/24°/38°/60°		IP20	101*101*122mm
	12W	991lm							
	15W	1111lm							
LX-DL-11365	15W	1063lm							
	20W	1655lm							
	25W	1896lm							
	30W	2093lm							
LX-DL-11615	25W	2066lm		15°/24°/38°	161*161*201mm				
	30W	2329lm							
	36W	2922lm							
	40W	3250lm							
LX-DL-11016	8W	622lm		70°	IP20/IP40				101*101*122mm
	12W	849lm							
	15W	939lm							
LX-DL-11366	15W	1052lm							
	20W	1632lm							
	25W	1879lm							
	30W	2087lm							
LX-DL-11616	25W	2015lm	161*161*201mm						
	30W	2265lm							
	36W	2839lm							
	40W	3155lm							

Order code : Reference - Power - Luminous flux - CCT/K - Optic

Important : All the specification can be customized as per the project request .

OPTICS

LX-DL-11614 / LX-DL-11615



15° 24° 38°

LX-DL-11014 / LX-DL-11364 / LX-DL-11015 / LX-DL-11365



15° 24° 38° 60°

LX-DL-11016
LX-DL-11366
LX-DL-11616




70°


Dimensions




 LX-DL-11014




 LX-DL-11364




 LX-DL-11614




 LX-DL-11015




 LX-DL-11365




 LX-DL-11615



 LX-DL-11016



 LX-DL-11366



 LX-DL-11616

