



DOWNLIGHT



DEEP F



DEEP F

The exquisite physique and the adjustable angle design of the spotlight enable it to exert the anti glare effect to the extreme in various spaces.

Applications : Star-rated Hotels, Villas, Residential buildings, etc.

Physical : Aluminum

Colour(housing) : Black+White / Gray+White

COLOUR(reflector) : Black, White






References

| Reference | Led Power | Luminous flux | CCT/K | OPTICS | IP Rating | Dimensions | Adjustable | | |
|---------------|-----------|---------------|-------|-------------|-----------|------------|------------|-----------|------|
| LX-DL-1606 | 5W | 225-236lm | 2700K | 15°/24° | IP20/IP54 | Ø60*65mm | 360° | | |
| | | 234-257lm | 3000K | | | | | | |
| | 7W | 296-331lm | 2700K | | | | | | |
| | | 310-342lm | 3000K | | | | | | |
| LX-DL-1867 | 8W | 403-621lm | 2700K | 15°/24°/38° | | IP20/IP54 | | Ø86*106mm | 360° |
| | | 604-593lm | 3000K | | | | | | |
| | 10W | 449-639lm | 2700K | | | | | | |
| | | 457-655lm | 3000K | | | | | | |
| | 12W | 511-763lm | 2700K | | | | | | |
| | | 537-774lm | 3000K | | | | | | |
| 15W | 546-822lm | 2700K | | | | | | | |
| | 576-834lm | 3000K | | | | | | | |
| LX-DL-11165-S | 20W | 766-1120lm | 2700K | 15°/20°/32° | IP20/IP54 | Ø116*147mm | 360° | | |
| | | 891-1245lm | 3000K | | | | | | |
| | 25W | 847-1334lm | 2700K | | | | | | |
| | | 1039-1447lm | 3000K | | | | | | |
| | 30W | 1017-1519lm | 2700K | | | | | | |
| | | 1198-1717lm | 3000K | | | | | | |

Order code : Reference - Power - Luminous flux - CCT/K - Optic

Important : All the specification can be customized as per the project request .

Dimensions



Feature

To install the trimmed version

