

DOWNLIGHT

DEEP FW



IP 20/54	CRI >90	AC220-240V	Anti-Glare	No Flicker
--------------------	-------------------	-------------------	-------------------	-------------------

Optional

PHASE	1-10V	RA11	Bluetooth
--------------	--------------	-------------	------------------

3 YEAR WARRANTY	CREE	CE	RoHS	50000h@L80
------------------------------	-------------	-----------	-------------	-------------------

DEEP FW


The exquisite physique and the adjustable angle design of the spotlight enable it to exert the anti glare effect to the extreme in various spaces.

Applications : Star-rated Hotels, Villas, Residential buildings, etc.

Physical : Aluminum

Colour(housing) : Black+White / Gray+White

COLOUR(reflector) : Black, White



luxio
L I G H T I N G

www.luxio-lighting.com




References

Reference	Led Power	Luminous flux	CCT/K	OPTICS	IP Rating	Dimensions	Adjustable
LX-DL-W1606	5W	225-236lm	2700K	15°/24°	IP20/IP54	Ø78*65mm	360°
		234-257lm	3000K				
	7W	296-331lm	2700K				
		310-342lm	3000K				
LX-DL-W1867	8W	403-621lm	2700K	15°/24°/38°			
		604-593lm	3000K				
	10W	449-639lm	2700K				
		457-655lm	3000K				
	12W	511-763lm	2700K				
		537-774lm	3000K				
	15W	546-822lm	2700K				
		576-834lm	3000K				
LX-DL-W11165-S	20W	766-1120lm	2700K	15°/20°/32°	Ø140*147mm		
		891-1245lm	3000K				
	25W	847-1334lm	2700K				
		1039-1447lm	3000K				
	30W	1017-1519lm	2700K				
		1198-1717lm	3000K				

Order code : Reference - Power - Luminous flux - CCT/K - Optic

Important : All the specification can be customized as per the project request .

Dimensions



Feature

To install the trimmed version

