

# DOWNLIGHT

## GRACE W



<b>IP</b>	<b>CRI</b>	<b>UGR</b>	<b>AC220-240V</b>	<b>Dim-DALI</b>
65	≥80	19		0/1-10V



### GRACE W DOWNLIGHT

Grace is an LED Downlight series with trim and trimless versions in IP65 construction forms for the application sectors : office, retail, hotel, villa, shopping mall, balcony, bathroom as well as some wet environment.

The LED downlights enable the efficient and high quality illumination of workplaces and traffic routes.

They are ideal for general lighting in retail environments as well as accent and all-purpose lighting in office and hotel applications.

The use of innovative technology and premium materials as well as a diversity of reflector's finishing in chrome/matt black/matt white make grace truly unique.

Housing : Aluminum with painting finishing

Heat sink : Die cast aluminum



## References

Reference	Led Power	Luminous flux	CCT/K	OPTICS	IP Rating	Dimensions	Adjustable
LX-DL-W83100FT	15W	1800lm	2700K/3000K/4000K /5000k	20°/30°/40°/60°	IP65	Ø135*85mm	_____
	18W	2120lm					
LX-DL-W84150FT	30W	3600lm				Ø180*108mm	

Order code : Reference - Power - Luminous flux - CCT/K - Optic

Important : All the specification can be customized as per the project request .

## OPTICS



20°

30°

40°

60°

## Optional colors for reflector



Black




White




Chrome

## Dimensions

LX-DL-W83100FT



LX-DL-W84150FT



## Features

